

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	10633	358/1.15,1.16,1.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:12
L5	1900	710/52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:12
L6	6916	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:13
L7	1	(4 or 5 or 6) and (queue near (designat\$3 or name\$2 or identification or identifier) near4 (match\$5 or compar\$5 or find\$5 or similar or "same")).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:14
L8	6	(4 or 5 or 6) and (queue near (designat\$3 or name\$2 or identification or identifier) same (match\$5 or compar\$5 or find\$5 or similar or "same")).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:17
L9	926	(charles near3 johnson).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:17
L10	1812	(david near3 johnson).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:17
L11	1	(9 or 10) and (queue near (designat\$3 or name\$2 or identification or identifier) same (match\$5 or compar\$5 or find\$5 or similar or "same")).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:17
L12	1	(9 or 10) and (queue near (designat\$3 or name\$2 or identification or identifier) same (match\$5 or compar\$5 or find\$5 or similar or "same"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:18
S1	8	(printer with (plural\$5 or many or multiple or least or several or one) with (queue adj2 (name or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:06
S2	42	(queue with (match\$5 or "same" or identical or equivalent) with (plural\$5 or many or multiple or least or several or one) with (queue adj2 (name or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:09
S3	1	(queue with (match\$5) with (plural\$5 or many or multiple or least or several or one) with (queue adj2 (name or identification or identifier))) same (compar\$5 near3 (name or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:10
S4	40	(queue with (match\$5)) same (compar\$5 near3 (name or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:16

EAST Search History

S5	50	(queue near (name or identification or identifier)) with (match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:18
S6	54	(queue near (designat\$3 or name or identification or identifier)) with (match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:18
S7	61	(queue near (designat\$3 or name\$2 or identification or identifier)) with (match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:24
S8	9	S7 and (print\$5 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:18
S9	10	(queue near (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:30
S10	3	(queue near (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same (print\$5 near3 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:13
S11	40	((designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same queue same (print\$5 near3 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:47
S12	0	((designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same ((match\$5 or find\$5 or compar\$5) near3 queue) same (print\$5 near3 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:34
S13	0	(printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same ((designat\$3 or name\$2 or identification or identifier) near3 (match\$5)) same (print\$5 near3 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:48
S14	1	(printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same ((designat\$3 or name\$2 or identification or identifier) near3 (match\$5)) and (print\$5 near3 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:49
S15	1	(printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) same ((match\$5)) and (print\$5 near3 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:49
S16	19	(printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) and ((match\$5)) and (print\$5 near3 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:53
S17	1	(printer adj (designat\$3 or name\$2 or identification or identifier) near4 (chang\$5 or modif\$8 or alter\$3 or renam\$3 or reassociat\$5 or redesignat\$5)) and (printer adj (designat\$3 or name\$2 or identification or identifier) near2 match\$5) and (print\$5 near3 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 10:54

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	23	(queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5) near2 server) and (client same (queue adj2 nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:19
S2	28	(queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5 or imag\$3) near2 server) and (client same (queue adj2 nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:19
S3	35	(queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5 or imag\$3 or internet) near2 server) and (client same (queue adj2 nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:19
S4	35	(queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5 or imag\$3 or internet or www) near2 server) and (client same (queue adj2 nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:19
S5	45	(queue adj2 nam\$3) and ((print\$5 or cop\$5 or scan\$5 or imag\$3 or internet or www or web) near2 server) and (client same (queue adj2 nam\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:20
S6	4	S5 and ((queue adj2 nam\$3) near3 (check\$5 or verif\$8 or compar\$5 or valid\$5 or invalid\$5 or undefined or unknown or unlist\$5 or exist\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:21
S7	2	S5 and ((queue adj2 nam\$3) near3 (conver\$4 or chang\$5 or designat\$5 or redesignat\$5 or reassign\$7 or replac\$5 or substitut\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:23
S8	26	((queue adj2 nam\$3) near3 (conver\$4 or chang\$5 or designat\$5 or redesignat\$5 or reassign\$7 or replac\$5 or substitut\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:23
S9	26	((queue adj2 nam\$3) near3 (renam\$5 or conver\$4 or chang\$5 or designat\$5 or redesignat\$5 or reassign\$7 or replac\$5 or substitut\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:28
S10	0	((queue adj2 nam\$3) near3 (compar\$3) with (existing or present\$5 or current\$5 or resident or defined or known or given))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:29
S11	320	((queue) near3 (compar\$3) with (existing or present\$5 or current\$5 or resident or defined or known or given))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:29
S12	10	((queue) near3 (compar\$3) with (existing or present\$5 or current\$5 or resident or defined or known or given)) and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:30
S13	21	((queue) near3 (compar\$3 or search\$5 or find\$5 or match\$5) with (existing or present\$5 or current\$5 or resident or defined or known or given)) and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:33

EAST Search History

S14	24	((queue\$7) near3 (compar\$3 or search\$5 or find\$5 or match\$5) with (existing or present\$5 or current\$5 or resident or defined or known or given)) and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:34
S15	16	((queue\$7) near3 (name or naming or identifier or identification or number) near5 (compar\$3 or search\$5 or find\$5 or match\$5)) and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:34

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	179	(printer adj2 name) with (print\$5 near2 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 12:06
S2	0	S1 and (compar\$5 with (printer adj2 name)) same ((default adj2 printer) same (unmatch\$5 or undefined or unknown))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 11:49
S3	0	S1 and (compar\$5 with (printer adj2 name)) same (unmatch\$5 or undefined or unknown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 11:50
S4	301	(printer adj2 name) same (print\$5 near2 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 11:49
S5	0	S4 and (compar\$5 with (printer adj2 name)) same (unmatch\$5 or undefined or unknown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 11:50
S6	11	S4 and (compar\$5 with (printer adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 11:50
S7	0	(queue adj2 name) and (print\$5 near2 (job or request)) and (singh).xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 12:07
S8	0	(queue adj2 name) and (singh).xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 12:06
S9	0	(queue adj2 name) and (print\$5 near2 (job or request)) and (kimberly near2 williams).xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 12:07
S10	1	(queue adj2 name) and (print\$5 near2 (job or request)) and (kimberly near2 williams).xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 12:07
S11	1	(queue adj2 name) and (print\$5 near2 (job or request)) and (kimberly near2 williams)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 12:42
S12	398	((assign\$7 or designat\$5 or specified or specify) near3 (queue)) and (print\$5 near2 (job or request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:57
S13	6	((assign\$7 or designat\$5 or specified or specify) near3 (queue)) and (print\$5 near2 (job or request)) and (compar\$5 with (assign\$7 or designat\$5 or specified or specify) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:00

EAST Search History

S14	0	(spool\$5 with (nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) same (compar\$5 near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:03
S15	0	(spool\$5 same (nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) same (compar\$5 near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:03
S16	6	spool\$5 and ((nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) same (compar\$5 near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:24
S17	2	"5559933".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:54
S18	2	"5559933".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:23
S19	110	("5559933").URPN.	USPAT	OR	ON	2006/09/15 13:24
S20	1	spool\$5 and ((chang\$3 or conver\$5) near2 (nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) same (compar\$5 near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:25
S21	1	spool\$5 and ((chang\$3 or conver\$5) near2 (nam\$3 or assign\$7 or designat\$5 or specified or specify or specifies or plac\$3 or specific) near3 (queue)) and (compar\$5 near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:27
S22	4	spool\$5 and ((chang\$3 or conver\$5) near2 (nam\$3 or assign\$7 or designat\$5) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:29
S23	2	spool\$5 and ((chang\$3 or conver\$5) near2 (destination) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:29
S24	2	((chang\$3 or conver\$5) near2 (destination) near3 (queue)) and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:30
S25	10	((chang\$3 or conver\$5) same(destination) near3 (queue)) and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:37
S26	10	((chang\$3 or conver\$5) same (destination) near3 (queue)) and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:37
S27	18	((chang\$3 or conver\$5 or reassign\$5) same (destination or current or designated or named or name or identified) near3 (queue) with (new or residual or default or different or substitute or unmatched or nonconform\$5 or undefined)) and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:42

EAST Search History

S28	0	((chang\$3 or conver\$5 or reassign\$5 or moving or transfer\$5) same (destination or current or designated or named or name or identified) near3 (queue) with (new or residual or default or different or substitute or unmatched or nonconform\$5 or undefined)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full))) and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:43
S29	11	((chang\$3 or conver\$5 or reassign\$5 or moving or transfer\$5) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full))) and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:51
S30	0	((chang\$3 or conver\$5 or reassign\$5) near3 (queue) near2 (name or identi\$8 or designation)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:53
S31	2	((chang\$3 or conver\$5 or reassign\$5) near3 (queue) near2 (name or identi\$8 or designation)) and (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:53
S32	14	((chang\$3 or conver\$5 or reassign\$5) near3 (queue) near2 (name or identi\$8 or designation)) and (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:56
S33	21	((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue) near2 (name or identi\$8 or designation)) and (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:57
S34	1191	((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) and (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:57
S35	222	((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:58
S36	79	((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (plural\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:58
S37	0	((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (plural\$5 near3 queue) and (print\$5 with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:59
S38	79	((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (plural\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S39	31	((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (queue near3 (present or exist\$5 or unauthori\$5 or special or default or busy or occupied or broken or fail\$5 or faulty or full or unable or unavailab\$5))) and (plural\$5 near3 queue) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:14
S40	75	(print\$5 near3 (mode or type or priority)) with (determin\$5 or judg\$5) with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:10

EAST Search History

S41	0	S40 and ((undefined or unknown or nonconform\$5 or illegal or invalid) near3 (print\$5 near3 (mode or type or priority)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:11
S42	3	S40 and ((undefined or unknown or nonconform\$5 or illegal or invalid) near3 ((mode or type or priority)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:12
S43	0	S40 and (default near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:13
S44	8	(plurality near2 queue) same (default near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:13
S45	34	(plurality near2 queue) same ((invalid or error or undefined or unknown or residual or leftover or fail\$5 or default) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:16
S46	7	S45 and ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:16
S47	338	(plurality near2 queue) and ((invalid or error or undefined or unknown or residual or leftover or fail\$5 or default) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:20
S48	145	S47 and ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:16
S49	30	S47 and ((chang\$3 or conver\$5 or reassign\$5 or alter\$5 or modif\$8) near3 (queue)) same (match\$5 or compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:17
S50	2	(plurality near2 queue near5 name) and ((invalid or error or undefined or unknown or residual or leftover or fail\$5 or default) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:23
S51	0	(plurality near2 queue near5 name) and ((non-support\$5 or unsupport\$5 or support\$5) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:24
S52	313	(plurality near2 queue) and ((non-support\$5 or unsupport\$5 or support\$5) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:24
S53	38	(plurality near2 queue) same ((non-support\$5 or unsupport\$5 or support\$5) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:24

EAST Search History

S54	0	((non-support\$5 or unsupport\$5) near4 print\$5 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:46
S55	0	(queue near3 pointer) and ((invalid or bad or undefined) near3 pointer) and (print\$5 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:47
S56	54	(queue near3 pointer) and (print\$5 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:48
S57	14	((queue near3 pointer) with (job or request)) and (print\$5 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:55
S58	21	((queue near3 manag\$5) same (queue near3 (name or identity or identification or designation))) and (print\$5 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:57
S59	3	((queue near3 manag\$5) same (compar\$5 or find\$5 or match\$5 or "same") same (queue near3 (name or identity or identification or designation))) and (print\$5 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:59
S60	6	((queue near3 (Server or manag\$5 or controll\$5)) same (compar\$5 or find\$5 or match\$5 or "same") same (queue near3 (name or identity or identification or designation))) and (print\$5 near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:00
S61	66	((queue near3 (Server or manag\$5 or controll\$5)) same (compar\$5 or find\$5 or match\$5 or "same") same (queue near3 (name or identity or identification or designation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:00
S62	33	((queue near3 (Server or manag\$5 or controll\$5)) same (compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:04
S63	121	(queue near3 (Server or manag\$5 or controll\$5)) and ((compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:05
S64	26	(queue near3 (Server or manag\$5 or controll\$5)) and ((compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation))) and ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (name or identity or identification or designation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:10
S65	293	((compar\$5 or find\$5 or match\$5) same (queue near3 (pointer or name or identity or identification or designation))) and ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (pointer or name or identity or identification or designation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:57
S66	50	((compar\$5 or find\$5 or match\$5) same (queue near3 (pointer or name or identity or identification or designation))) same ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (pointer or name or identity or identification or designation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:15

EAST Search History

S67	3	((compar\$5 or find\$5 or match\$5) same (queue near3 (pointer or name or identity or identification or designation))) same ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:16
S68	13	((compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation))) and (list\$3 near3 (valid or exist\$5 or correct or allow\$5) near3 (name or identity or identification or designation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:18
S69	7	((compar\$5 or find\$5 or match\$5) same (queue near3 (name or identity or identification or designation))) same ((valid or exist\$5 or correct or allow\$5) near3 (name or identity or identification or designation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:20
S70	7	((default) same (queue near3 (name or identity or identification or designation))) same ((valid or exist\$5 or correct or allow\$5) near3 (name or identity or identification or designation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:54
S71	5	("5768583").URPN.	USPAT	OR	ON	2006/09/15 15:23
S72	0	(print\$5 near3 queue) and (color near2 queue) and ((black or monochrom\$5) near2 queue) and ((chang\$5 or conver\$5) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:56
S73	39	(print\$5 near3 queue) and ((color near2 queue) or (priority near2 queue) or ((black or monochrom\$5) near2 queue)) and ((chang\$5 or conver\$5) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:58
S74	18	(print\$5 near3 queue) and ((first adj2 queue) and (second adj2 queue)) and ((chang\$5 or conver\$5) near3 (first or second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:00
S75	3	(print\$5 near3 queue) and ((first adj2 queue) and (second adj2 queue)) and ((chang\$5 or conver\$5) near3 (first or second) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:02
S76	7	(print\$5 near3 queue) and ((first adj2 queue) and (second adj2 queue)) and ((chang\$5 or conver\$5 or designat\$5) near3 (first or second) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:18
S77	1	"5371888".pn. and (queue near2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:18
S78	0	"5371888".pn. and (match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:18
S79	2	"5371888".pn. and (transfer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:20
S80	1	"5371888".pn. and (designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:21

EAST Search History

S81	6	("5371888").URPN.	USPAT	OR	ON	2006/09/15 16:31
S82	4	"4691365".pn. "6661456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:57
S83	2	"5559933".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:05
S84	1	"5559933".pn. and (queue adj2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 16:58
S85	9	("5165014" "5179637" "5220674" "5227643" "5228118" "5287194" "5287434" "5327526" "5345091").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/15 16:59
S86	1	"5559933".pn. and (queue near3 logical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:05
S87	0	"5559933".pn. and (queue near3 physicla)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:06
S88	1	"5559933".pn. and (queue near3 physical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:06
S89	1	"5559933".pn. and (queue same (logical or physical))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:16
S90	6	(plural\$5 near3 (printer adj2 name)) and (receiv\$5 near3 (print\$5 near2 (job or request))) and ((job or request) near4 (printer adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:17
S91	41	(plural\$5 near3 (printer)) and (receiv\$5 near3 (print\$5 near2 (job or request))) and ((job or request) near4 (printer adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:17
S92	71	(plural\$5 near3 (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) and (receiv\$5 near3 ((job or request))) and ((job or request) near4 ((printer or (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction))))) adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 18:06
S93	5	S92 and ((compar\$5 or match\$5) near4 ((printer or (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction))))) adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 18:07
S94	0	"6829059".pn. and chang\$3 near3 designat\$54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:31

EAST Search History

S95	2	"6829059".pn. and chang\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:39
S96	1	"6829059".pn. and (printer near2 name near2 unknown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:40
S97	1	"6829059".pn. and (designat\$5 with unknown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:41
S98	1	"6829059".pn. and (designat\$5 same (default or unknown))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:47
S99	1	"6829059".pn. and (name adj2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:44
S10 0	1	"6829059".pn. and (designat\$5 near3 server near2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:47
S10 1	110	("5559933").URPN.	USPAT	OR	ON	2006/09/15 17:54
S10 2	9	("5165014" "5179637" "5220674" "5227643" "5228118" "5287194" "5287434" "5327526" "5345091").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/15 17:55
S10 3	0	("6829059").URPN.	USPAT	OR	ON	2006/09/15 17:56
S10 4	4	("5699495" "5802260" "6115132" "6152629").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/15 17:56
S10 5	2	((compar\$5 or find\$5 or match\$5) same (queue near3 (pointer or name or identity or identification or designation))) and ((chang\$3 or modif\$8 or alter\$3 or conver\$5) near3 (pointer or name or identity or identification or designation)) and sub-queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:57
S10 6	1	((assign\$7 or designat\$5 or specified or specify) near3 (queue)) and (print\$5 near2 (job or request)) and sub-queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:58
S10 7	0	(printer adj queue) same sub-queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:58
S10 8	0	(printer adj queue) same subqueue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:58
S10 9	0	(printer adj2 queue) same sub-queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:58

EAST Search History

S11 0	4	(printer near2 queue) same sub-queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 17:58
S11 1	82	(plural\$5 near3 (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) and ((job or request) near4 ((printer or (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 18:06
S11 2	5	S111 and ((compar\$5 or match\$5) near4 ((printer or (printer or printing or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 18:07
S11 3	46	((compar\$5 or match\$5) near4 ((printer or (printer or printing or (scanner) or copying or scanning or scanning or (image adj2 (processing or processor or reproduction)))) adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 18:08

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(john near3 varga).in. and ((merg\$5 or combin\$5) same (display\$5) same (graphic or object or item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:47
S2	3	(john near3 varga).in. and ((merg\$5 or combin\$5) same (display\$5) same (compres\$5 or decompres\$5 or encod\$5 or uncompres\$5) same (graphic or object or item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:47
S3	4	(john near3 varga).in. and ((merg\$5 or combin\$5) same (compres\$5 or decompres\$5 or encod\$5 or uncompres\$5) same (graphic or object or item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:55
S4	2	(thomas near3 varga).in. and ((merg\$5 or combin\$5) same (compres\$5 or decompres\$5 or encod\$5 or uncompres\$5) same (graphic or object or item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:56
S5	46	print\$5 and server and queue and "1179"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:58
S6	12	print\$5 and server and queue and "1179" and (rfc or (request\$5 near3 comment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:06
S7	2	S6 and ((chang\$3 or modif\$7 or alter\$3 or setting or set or overrid\$5 or overwrit\$5) with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:06
S8	0	"5625757".pn. and ((plural\$5 or mutiple) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:04
S9	0	"5625757".pn. and ((plural\$5 or multiple) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:05
S10	1	"5625757".pn. and (queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:05
S11	1	S6 and ((name or identifier or identification) near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:06
S12	1454	print\$5 and server and queue and (rfc or (request\$5 near3 comment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:20
S13	371	S12 and ((chang\$3 or modif\$7 or alter\$3 or setting or set or overrid\$5 or overwrit\$5) with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:07

EAST Search History

S14	4	S12 and ((chang\$3 or modif\$7 or alter\$3 or setting or set or overrid\$5 or overwrit\$5) with (name near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:08
S15	3	S12 and ((error or undefined or unknown or default or wrong or fault\$5) with (name near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:10
S16	3	S12 and ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) with (name near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:13
S17	182	S12 and ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) with (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:13
S18	53	S12 and ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) near2 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:14
S19	220	(print\$5 with queue) and server and queue and (rfc or (request\$5 near3 comment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:13
S20	3	S19 and ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) near2 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:24
S21	8	print\$5 and server and queue and (rfc or (request\$5 near3 comment)) and (default near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:21
S22	1	(print\$5 same server same queue) and (rfc or (request\$5 near3 comment)) and (default near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:21
S23	4	(print\$5 same queue) and (rfc or (request\$5 near3 comment)) and (default near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:21
S24	53	(print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or compar\$3 or match\$5 or unmatched\$5) near2 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:25
S25	35	(print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:29
S26	38	(print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (queue\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:56

EAST Search History

S27	0	(print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (attribute)) and (queue near3 attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:57
S28	4	(print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (attribute)) and (queue same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 17:00
S29	14	(print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 17:03
S30	0	(print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address)) and (queue near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 17:03
S31	5	(print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address)) and (address with (stor\$3) with (job or request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 17:04
S32	9	(print\$5 near2 (job or request\$5)) with ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address or location or buffer)) and ((address or location or buffer) with (stor\$3) with (job or request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 17:05
S33	13	(print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (address or location or buffer)) and ((address or location or buffer) with (stor\$3) with (job or request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 17:09
S34	2	(print\$5 near2 (job or request\$5)) same ((error or undefined or unknown or default or wrong or fault\$5 or unmatched\$5) near2 (name)) and (queue near3 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 17:11

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5) near5 (print\$3 adj2 queue adj2 (name or naming or identification or identifier or number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:09
S2	8	((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5) near5 (print\$3 adj2 queue adj2 (name or naming or identification or identifier or number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:10
S3	103	((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5) near5 (queue adj2 (name or naming or identification or identifier or number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:15
S4	28	S3 and (print\$3 adj2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:16
S5	108	((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5 or reassign\$5 or transform\$5 or redesignat\$5 or reissu\$5) near5 (queue adj2 (name or naming or identification or identifier or number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:16
S6	110	((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5 or reassign\$5 or transform\$5 or redesignat\$5 or reissu\$5 or renam\$3) near5 (queue adj2 (name or naming or identification or identifier or number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:23
S7	1	S6 and (print\$3 adj2 queue) and ((queue adj2 (name or naming or identification or identifier or number)) near3 (compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:18
S8	6	S6 and (print\$3 adj2 queue) and ((queue adj2 (name or naming or identification or identifier or number)) same (compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:54
S9	2	S6 and (print\$3 adj2 queue) and ((queue adj2 (name or naming or identification or identifier or number)) with field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:21
S10	393	S6 ((queue adj2 (name or naming or identification or identifier or number)) with field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:21
S11	11	S6 and ((queue adj2 (name or naming or identification or identifier or number)) with field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:21
S12	532	((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5 or reassign\$5 or transform\$5 or redesignat\$5 or reissu\$5 or renam\$3) near5 ((folder or queue or buffer) adj2 (name or naming or identification or identifier or number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:24
S13	550	((chang\$3 or modfi\$7 or overrid\$5 or manipul\$5 or alter\$5 or replac\$3 or substitut\$5 or overwrit\$5 or reassign\$5 or transform\$5 or redesignat\$5 or reissu\$5 or renam\$3) near5 ((folder or queue or buffer or spool\$5) adj2 (name or naming or identification or identifier or number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:24

EAST Search History

S14	62	S13 and (print\$5 near2 (folder or queue or buffer or spool\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:24
S15	35	S14 and (((name or naming or identification or identifier or number)) same (compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:43
S16	274	(((name or naming or identification or identifier or number)) same print\$5 same queue same (compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:50
S17	87	S16 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:44
S18	406	(name or naming or identification or identifier) with print\$5 with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:53
S19	187	(name or naming or identification or identifier) near3 print\$5 near3 queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:54
S20	45	S19 and ((name or naming or identification or identifier) with (compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:01
S21	19	S20 and ((name or naming or identification or identifier) with (chang\$5 or conver\$5 or modif\$8 or altering or altered))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:01
S22	16	(queue near4 (name or naming or identification or identifier) with (compar\$3 or match\$5 or find\$3 or search\$5)) same ((name or naming or identification or identifier) with (chang\$5 or conver\$5 or modif\$8 or altering or altered))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:08
S23	25	(queue near4 (name or naming or identification or identifier) with (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or default or compar\$3 or match\$5 or find\$3 or search\$5)) same ((name or naming or identification or identifier) with (chang\$5 or conver\$5 or modif\$8 or altering or altered))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:21
S24	11	S23 and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:17
S25	155	(queue near4 (name or naming or identification or identifier)) same (print\$5 near3 (request\$5 or job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:30
S26	17	S25 and (queue near4 (name or naming or identification or identifier) with (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or default or compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:07

EAST Search History

S27	239	(queue near4 (name or naming or identification or identifier)) same ((scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:35
S28	20	S27 and (queue near4 (name or naming or identification or identifier) with (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or default or compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:36
S29	10	S28 and ((plural\$5 or multiple or many) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:39
S30	241	(queue near4 (name or naming or identification or identifier)) same ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:45
S31	50	S30 and (queue near4 (name or naming or identification or identifier) with (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or similar or "same" or equal or equivalent or different or default or compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:38
S32	24	S31 and ((plural\$5 or multiple or many) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:39
S33	158	(queue near4 (name or naming or identification or identifier)) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:46
S34	63	S33 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:46
S35	67	(queue near (name or naming or identification or identifier)) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:56
S36	30	S35 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:48
S37	93	(queue near (name or naming or identification or identifier or id or "i. d.") with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 10:47
S38	35	S37 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:04
S39	3	(queue near (name or naming or identification or identifier)) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5) near3 (name or naming or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:03

EAST Search History

S40	3	((queue near (name or naming or identification or identifier)) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5) near3 (name or naming or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:03
S41	195	(queue) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:10
S42	76	S41 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:04
S43	29	S42 and (queue near4 (exist\$5 or unmatched\$5 or undefined or unknown or non-exist\$5 or default or compar\$3 or match\$5 or find\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:11
S44	469	(queue) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5 or setting or set) near3 (queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:17.
S45	49	S44 and (queue near4 (compar\$3 or match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:15
S46	0	"5287434".pn. and (restore adj2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:15
S47	1	"5287434".pn. and (restore near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:16
S48	1	"5287434".pn. and (designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:17
S49	4	(queue) with ((fax or facsimile or scan\$5 or read\$5 or cop\$4 or print\$5) near3 (request\$5 or job)) same ((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5 or setting or set) near3 (queue) near3 designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:19
S50	64	((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5 or setting or set) near3 (queue) near3 designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:19
S51	23	((convert\$5 or reassign\$8 or chang\$3 or alter\$3 or modif\$7 or overrid\$5) near3 (queue) near3 designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:22
S52	1	"6213652".pn. and (queue near2 designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:23

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5880447".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 12:58
S2	4	("5880447").URPN.	USPAT	OR	ON	2006/09/08 12:53
S3	5	("4916441" "5490217" "5579087" "5642515" "5684956").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/08 15:41
S4	1	"5880447".pn. and ((file adj2 server) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:08
S5	1	"5559933".pn. and (print\$5 same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:28
S6	0	"5559933".pn. and (default adj2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:11
S7	1	"5559933".pn. and (default near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:12
S8	1	"5559933".pn. and (default near2 queue) and (mask same (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:20
S9	1	"5559933".pn. and (default near2 print\$5) and (mask same (queue adj2 name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:36
S10	1	"5559933".pn. and (default near2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:48
S11	1	"5559933".pn. and (queue with "286")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:41
S12	1	"5559933".pn. and (queue same "286")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:45
S13	1	"5559933".pn. and ("286")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:46
S14	2	"5559933".pn. and (match same printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:44

EAST Search History

S15	1	"5559933".pn. and (queue same printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 13:50
S16	1	"5559933".pn. and (print\$5 near3 queue) same name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:40
S17	1	"727071".ap. and (queue near5 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:41
S18	1	"727071".ap. and (queue near5 print\$5 near3 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:41
S19	2	"5559933".pn. and (match\$5 same printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:45
S20	1	"5559933".pn. and (match\$5 same printer) same queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:24
S21	12	((printer or printing) with (multiple or plural\$5) near3 queue) same (queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:53
S22	13	((printer or printing or copier or copying) with (multiple or plural\$5) near3 queue) same (queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:40
S23	13	((printer or printing or copier or copying) with (multiple or plural\$5 or many) near3 queue) same (queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 14:54
S24	1	"5559933".pn. and (default same printed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:20
S25	1	"5559933".pn. and (default and printed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:21
S26	1	"5559933".pn. and (default and print)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:22
S27	1	"5559933".pn. and (default same printer same print)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:23

EAST Search History

S28	1	"5559933".pn. and ("276" with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:23
S29	2	"5287434".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 15:41
S30	1	"5559933".pn. and (network same client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:24
S31	1	"5559933".pn. and (network same client same printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:25
S32	1	"5559933".pn. and (network same client same print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:25
S33	1	"5559933".pn. and (network same client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:25
S34	1	"5559933".pn. and (network and client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:26
S35	48	((printer or printing or copier or copying) with (multiple or plural\$5) near3 queue) and ((chang\$5 or conver\$5 or modif\$8 or alter\$8) near5 queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:53
S36	4	((printer or printing or copier or copying) with (multiple or plural\$5) near3 queue) and ((chang\$5 or conver\$5 or modif\$8 or alter\$8) near5 queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:55
S37	4	((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5) with (multiple or plural\$5) near3 queue) and ((chang\$5 or conver\$5 or modif\$8 or alter\$8) near5 queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 17:02
S38	4	((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (multiple or plural\$5) near3 queue) and ((chang\$5 or conver\$5 or modif\$8 or alter\$8) near5 queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 17:04
S39	4	((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (multiple or plural\$5) near3 queue) and ((compar\$5 or match\$5) near5 queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 17:06
S40	4	((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (two or three or four or multiple or plural\$5) near3 queue) and ((compar\$5 or match\$5) near5 queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 17:06

EAST Search History

S41	6	((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (two or three or four or multiple or plural\$5) near3 queue) and ((compar\$5 or match\$5) same queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 17:08
S42	2	((printer or printing or copier or copying or mfp or multifunction\$5 or multi-function\$5 or reproduction) with (two or three or four or multiple or plural\$5) near3 queue) and ((list or listing) near3 queue near3 (name or named or naming or identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 17:08

EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
S1	90	(printer or printing) near4 ((plural\$5 or multiple) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:25
S2	3	S1 and (lpd or (line adj2 printer adj2 daemon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:25
S3	266	(printer or printing or reproduction or copier or copying) same ((plural\$5 or multiple) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:33
S4	9	S3 and (lpd or (line adj2 printer adj2 daemon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:30
S5	1	S3 and ((incorrect or wrong or invalid or undefined or unkown) near3 queue near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:33
S6	9236	((plural\$5 or multiple) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:52
S7	6	S6 and ((incorrect or wrong or invalid or undefined or unkown) near3 queue near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:37
S8	39	S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5) near3 queue near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:46
S9	39	S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error\$6) near3 queue near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:47
S10	42	S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 queue near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:48
S11	42	S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5 or non-support\$5) near3 queue near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:47
S12	3	S6 and ((error or unsupported\$5 or non-support\$5 or non-support\$5) near3 queue near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:47
S13	14857	((plural\$5 or multiple) near3 (spool\$5 or queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:49

EAST Search History

S14	0	S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 spool\$5 near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:49
S15	16	S6 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 buffer\$5 near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:49
S16	31876	((plural\$5 or multiple) near3 (buffer\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:50
S17	54	S16 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 buffer\$5 near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:50
S18	585	((plural\$5 or multiple) near3 print\$5 near5 (buffer\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:50
S19	0	S18 and ((incorrect or wrong or invalid or undefined or unkown or unmatched\$5 or new or nonexistent\$5 or non-exist\$5 or bad or error or unsupported\$5) near3 buffer\$5 near3 (name or "i.d." or id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:51
S20	0	S17 and (print\$5 near3 buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:51
S21	187	((plural\$5 or multiple) near3 queue) near3 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 11:52
S22	2	S21 and ((match\$5 or compar\$5 or judg\$5) near3 queue near3 (name or id or identification or designat\$5 or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:09
S23	1	"5559933".pn. and (queue with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:03
S24	0	"5559933".pn. and (queue with print\$5) same unmatched\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:03
S25	0	"5559933".pn. and unmatched\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:03
S26	1	"5559933".pn. and (queue with print\$5) same match\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:03

EAST Search History

S27	3	((match\$5 or compar\$5 or judg\$5) near3 queue near3 (name or id or identification or designat\$5 or "i.d.")) with (existing or known or predetermined or preexist\$5 or pre-exist\$5 or resident)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:51
S28	6	((determin\$5) near3 queue near3 (name or id or identification or designat\$5 or "i.d.")) with (existing or known or predetermined or preexist\$5 or pre-exist\$5 or resident)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:12
S29	220631	((name or id or identification or designat\$5 or "i.d.")) with (default or existing or known or predetermined or preexist\$5 or pre-exist\$5 or resident)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:13
S30	264	(queue near4 (name or id or identification or designat\$5 or "i.d.")) with (default or existing or known or predetermined or preexist\$5 or pre-exist\$5 or resident)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:13
S31	24	S30 and (print\$5 near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:13
S32	84	((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5) near3 print\$5 near3 queue near3 (name or id or identification or designat\$5 or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:59
S33	24	(user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5) near3 print\$5 near3 queue near3 (name or id or identification or designat\$5 or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 13:13
S34	24	(user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5) near3 print\$5 near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 13:15
S35	25	(user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5 or setting or set) near3 print\$5 near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 13:17
S36	2	(user or operator or client) with ((setting or set) near3 print\$5 near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 13:17
S37	9	(user or operator or client) with ((setting or set) near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 13:17
S38	145	(user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5 or setting or set) near3 queue near3 (name or id or identification or identifier or designat\$5 or "i.d."))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 13:18
S39	2070	(user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5 or setting or set) near3 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 13:18

EAST Search History

S40	330	(user or operator or client) with ((specifying or specifies or designat\$5 or enter\$5 or input\$5 or select\$5 or choos\$5 or setting or set) near3 queue) same (print\$5 or scan\$5 or copying or copier or copy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 13:18
-----	-----	--	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
S1	6	(plural\$5 near3 (print\$5 near3 queue near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:58
S2	8	(plural\$5 near3 (print\$5 near3 (buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:31
S3	6	(compar\$5 near3 (print\$5 near3 (buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:48
S4	13	((list or array) near3 (print\$5 near3 (buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:36
S5	10	((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5) near3 (print\$5 near3 (buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:41
S6	52	((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5) near3 ((queue) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:01
S7	14	S6 and (print\$5 same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:42
S8	108	((assign\$8 or designat\$5 or naming or input\$5 or enter\$5) near3 ((queue) near3 (name or identification or id or "i.d."))) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:00
S9	3	S8 and (compar\$5 near3 ((buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:53
S10	5	S8 and (match\$5 near3 ((buffer\$5 or queue or spool\$5) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:56
S11	0	(request adj2 for adj2 comments) same "1179"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:57
S12	0	(request adj2 for adj2 comments)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:57
S13	25189	rfc "1179"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:57

EAST Search History

S14	14	rfc adj2 "1179"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:57
S15	1	S14 and ((print\$5 near3 queue near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:58
S16	1	S14 and ((queue near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:58
S17	1	S14 and ((queue near3 (naming or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:59
S18	1	S14 and ((queue same (naming or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:59
S19	1	S14 and ((queue same (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:59
S20	12	S14 and (((name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:59
S21	4	S14 and ((queue and (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 14:59
S22	35	((client or user or operator or customer) near4 (specif\$8 or assign\$8 or designat\$5 or naming or input\$5 or enter\$5) near3 ((queue) near3 (name or identification or id or "i.d."))) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:02
S23	4	S22 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:02
S24	57	((client or user or operator or customer) near4 (specif\$8 or assign\$8 or designat\$5 or naming or input\$5 or enter\$5) near3 ((queue) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:05
S25	5	S24 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:03
S26	6	S24 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue) near3 (name or identification or id or "i.d.")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:04

EAST Search History

S27	11	S24 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:06
S28	84	((client or user or operator or customer or server or application) near4 (specif\$8 or assign\$8 or designat\$5 or naming or input\$5 or enter\$5) near3 ((queue) near3 (name or identification or id or "i.d. ")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:05
S29	14	S28 and ((default or residual or error or unmatched\$5 or non-exist\$5 or temporary or undesignat\$5 or not-found or fault\$5 or unknown or unidentified\$8) near3 ((queue)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:09
S30	1	"5559933".pn. and (match\$5 same queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:21
S31	1	"5559933".pn. and (print\$5 adj2 queue adj2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:21
S32	1	"5559933".pn. and (queue adj2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:22
S33	1	"5559933".pn. and (queue adj2 name) and (match\$5 with queue with name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:22
S34	0	"5559933".pn. and (queue adj2 name) and (match\$5 with queue with name) and (default with queue with name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:37
S35	1	"5559933".pn. and (queue adj2 name) and (match\$5 with queue with name) and (default with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:23
S36	0	"5559933".pn. and (default with queue with name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:37
S37	1	"5559933".pn. and (default same queue same name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 15:37